



UNISTAGE 80





4 - 6 ppl.



3 - 5 hours



2 - 3 hours



160 - 295 m²



10.000 kg



6.00 m

STAGE AREA	BEARING CAPACITY	HEIGHT PODIUM	CLEARANCE
80 m ²	500 kg / m ²	1.60 - 1.85 m	6.00 m (front)
DEPTH	WIDTH	HEIGHT	LOAD-IN
6.80 m	11.20 m	6.80m	Rear / side
TARA WEIGHT	PA WING LOAD	VEHICLE DIMENSIONS	
10.400 kg	2.000 kg (pcs.)	11.90 x 2.52 x 4.00 m	

ADD-ONS

- Electric Hoists with Control
- FOH Tent
- Ramp
- Crowd Barriers
- Cable Defenders
- Catwalk

INFO

Power supply: 1 x CEE 16 Amp.
 Ballast: None
 Included: 2 Staircases



UNIstage 80 - Version 1



4 ppl.





3 hours



2 hours

SIZE	STAGE AREA	DIMENSIONS
80 m ²	80 m ²	11.20 x 6.80 m

Stable ground or steel driving plates on grass/soil areas, as well as a telehandler
(min. 2.500 kg / 3.50 m lifting height).





UNIstage 80 - Version 2



6 ppl.





4 hours



2.5 hours

SIZE	STAGE AREA	DIMENSIONS	COVERED WINGS
109 m ²	80 m ²	16.00 x 6.80 m	2.40 x 6.00 m (pcs.)

Stable ground or steel driving plates on grass/soil areas, as well as a telehandler
(min. 2.500 kg / 3.50 m lifting height).





UNIstage 80 - Version 3



6 ppl.



5 hours



3 hours

SIZE	STAGE AREA	DIMENSIONS	COVERED WINGS
138 m ²	80 m ²	20.80 x 6.80 m	4.80 x 6.00 m (pcs.)

Stable ground or steel driving plates on grass/soil areas, as well as a telehandler
(min. 2.500 kg / 3.50 m lifting height).

